The Korean Intellectual Property Office (KR) Unexamined Patent Application (A)

(51) Int.Gi. A41B 9/00

(11) Unexamined Publication 10-2002-0042054

No

(43) Unexamined Publication 2002-06-05

Date

(21) Application No 10-2000-0071763

(22) Application Date 2000-11-29

(72) Inventor Yeong-Su Hong

(71) Applicant Yeong-Su Hong

III Examination Requested : Requested

(54) HEALTH UNDERPANTS

Abstract

Section becomes Human Translation

PURPOSE: Provided is a health panty which uses a line to transfer walking power into the lower part of penis for stimulating and moving the penis so that it helps to promote blood circulation around the penis.

CONSTITUTION: The health panty is characterized by comprising the parts of: a panty body(100) which includes a waist band(110), a panty cloth(120) and a band for the inguinal region(130); and a panty internal structure(200) which includes a line for penis(210), a line for scrotum(220a.220b), a line for moving the penis (230a,230b), a line for supporting the penis(250a,250b), a line for supporting the penis(250a,250

Кортексиратия Остынада;

Fig. 1

The penis string, scrotum line, walking power vehicle, dink motion line, dink bracing cable, moving back conduction line.

@ Descritption

· Brief explanation of the drawing

Fig. 1 is a detail view for illustrating the structure of the healthy under pants according to this embodiment 1

- 3 <u>Figs. 2a</u> through <u>Figs. 2a</u> are the functioning explanation for illustrating the operation of the healthy under pants according to this embodiment 1
- 4 Fig. 3 is a detail view showing the structure of the healthy under pants according to the embodiment 2
- 5 Fig. 4 is a detail view for illustrating the inner body structure of the healthy under pants according to the embodiment 2
 - . Details of the Invention
 - · Purpose of the Invention

The Technical Field to, which the Invention Belongs and the Prior Art in that Field

6 The present invention relates to the PCT application, which the thus corresponds with KR133304 and (215104) of the applicant looking at US6,017,303 A and reorganization of KR99-44380 A, particularly, to the healthy under pants which more makes the structure of the function underwear simple and improved so that the Yang SanSi manufacture be facilitated.

Technical challenges, of the Invention,

- In the above-described patent of this applicant and invention of the patent application, the that the actuating means moves with the walking power of the human body and that trains the glians penis and strengthening the energy effect is written to obtain the effect. But in the conventional underwear as described above, the effect delivering the mobile power was excellent. But problem had the structure of the underwear in the mass producibility and marketability. Therefore, an object of the present invention is to provide the healthy under pants which very simply improves
- 8 Furthermore, an object of the present invention is to provide the healthy under pants which can obtain the result health effect from the motion, the finger pressure effect of stimulation and scrotum low temperature conduction controlling method in the dink lower neighborhood part by making use of the simple line in order to simplify structure.

structure in order to be facilitated with Yang SanSi, it manufactures in order to solve the conventional problem.

- Structure & Operation of the Invention
- 9 The present invention relates to the method in which left and right by turns make the power in the iteration box while exchanging front and back in which the standards becomes estranged in the vertex of the reversed thigh in which the standards is only a little way from the vertex of the thigh which is advanced when left and right by turns repeat the operation in which left and right thigh move forward and backward in walk, doing the center which at this time moves forward and backward based on the wedding date and, and the apparatus etc. can be provided makes stimulate dink.
- 10 Moreover, in case of the blind angle trunk underwear, it is the apparatus for doing the inside for the action in order to work even when it just does the ornament which is the same as that of the thigh band of the intimate slip, like that maintaining the outward appearance of the blind angle trunk underwear.
- 11 By the walking action being simply connected with the line and moving the dink contacting the line to the new reorganization it is the apparatus in which dink exercises.
- 12 And provided is the effect, that is the motion one improved invention does to the method which pulls up the dink lower neighborhood part it simply uses the line the magnetic pole which is the finger pressure and the means which scrotum can obtain the low temperature oil sharecrop fold offect etc.
- 13 [Embodiment 1]
- 14 Referring to the attached drawing, the preferred embodiment of the present invention is circumstantially afterward illustrated.

- 15 This embodiment shows the healthy under pants using the upright walking power.
- 16 As shown in Fig. 1, the healthy under pants according to this embodiment using the walking power is comprised of the main body (100) and underwear community structure (200) of the underwear. The main body (100) of the underwear can be the existing trunks or the slip. In the present preferred embodiment, explain the slip as an example.
- 17 The panti body (100) provides the waistband (110), and the underwear churn (120) and thigh band (130).
- 18 Moreover, the underwear community structure (200) provides walking power vehicles (240a, 240b) and moving back conduction lines (260a, 260b) connected to the penis string (210), scrotum lines (220a, 220b), dink motion linos (230a, 230b), the dink bracing cable (250a, 250b) trigin band.
- 19 The penis string (210), dink motion lines (230a, 230b), scrotum lines (220a, 220b) and dink bracing cables (250a, 250b) can be formed with integrally. And dink motion lines (230a, 230b) are connected to appointed areas (110a, 110b) between the side and the waistband (110) front side. And induced dink bracing cables (250a, 250b) are connected to and, the Seo HyeBu groin brain to left and right appointed areas (110c, 110d) of the waistband (110). And the penis string (210) is formed so that the of which middle part raise the of which middle part the dink lower neighborhood part in the state putting on the healthy under parts according to this embodiment. That is, it connected top end portion two places (210a, 210b) of scrotum lines (220a, 220b) in which it became the suitable location with the line to raise the dink lower neighborhood part of the dink bracing cable for being induced to the Seo HyeBu groin brain in the waist side according to the brain that it received and the penis string formed the penis string (210).
- 20 Scrotum lines (220a, 220b) are formed so that the of which line pass the scrotum left right bone of the healthy under pants wearer. It forms bead or the set of twin rings shape into the metal which is the same as that of the natural lade stone or the silver and the scrotum line can induce and controls scrotum to the low temperature. And in order to raise scrotum it can form, in some cases, the scrotum line is ***. The penis string (210), scrotum lines (220a, 220b) and each connection line the line in which the side line of predetermined is desirable but it is thick having the elasticity according to the case or flexible is possible. If necessary, it can be comprised of the etc. given with the bead line or the chair type. The penis string both sides connection combined use adjusting means (210a, 210b) are formed. And the adjusting mean and the fasten-unfasten mean which each part connection line gives can be decorated.
- 21 Two operation lines (240a, 240b) is extended and two both endses (210a, 210b) of the penis string (210) are connected to behind two places (130a, 130b) of the thigh band (130). At this time, according to the operation start axis (the prior art means making the elastic band by one side side among the band of the thigh band) and the transmission path is the underwear type, it anywheres can determine with thigh back and pro. And moving back conduction lines (260a, 260b) induced are the bottom part of scrotum lines (220a, 220b) extended as behind and the bottom part is connected to bottom backside two sites (130c, 130d) of the thigh band. And in the moving back conduction line is the proximal point, the number changing the course direction into far-end like x shape does not limit in other words forming to be not to pass through the meeting part, etc. At this time, in case of the baggy underwear which is the same as that of the blind angle, it anywheres can determine knot according to condition with the underwear rear from side to side moving thigh knots (130c, 130d) the waistband behind, etc. And in some cases, while using the scrotum line and moving back conduction line as the walking power operation line in two or more ways, the scrotum line then can use the hole line in which action goes well in the scrotum left right bone. And in the underwear inside front side glans penis contiguous area for the glans penis rubbing single string, in order to form the extrusion means which is a plurality of fluctuations into the material which is suitable for the rubbing magnetic pole and it is shaken like March, thing or the blade of grass in which the berries hangs it can form. At this time, the means which can form in the panti body but which separately is attached is desirable, the extrusion means which is fluctuation can do.
- 22 Hereinafter, if configuration is illustrated like the, or greater for the action of the healthy under pants according to this embodiment included, flistly when wearer puts on the healthy under pants, in order that the dink lower neighborhood part of the dink of wearer raises the dink of wearer with the penis string (210) to the penis string (210), moreover, scrotum lines (220a, 220b) the role of inducing and controlling the temperature of scrotum because of decoration

scrotum low temperature induction material quality (the other medicinal ingredient material including metal and the natural jade which is the same as that of the gold or the silver or Magnetitum etc) with the built in or off-board can do. And the means like the scrotum line is comprised of the penis string in the middle part and dink lower neighborhood part concavo-convex (the side, and the bundle loop both sides jaw) magnetic pole and concavity the magnetic pole including the protection and the side ornament means which is cushion are mounted. And in the dink bracing cable is the waist side, by the line taking part in the brain in any kind of operation or posture and postponing because of making functional by the line connection composition of location in order to be induced to the Seo HyeBu groin brain according to the times bottom brain secession as to the penis string, which here is connected is prevented in the dink lower neighborhood part, in some cases, the dink bracing cable the dink motion line role can replace.

- 23 In this way, in the state where it completes the wearing, as shown in wearer is seen in the stationary state in the drawing 2a, it is in the state that dink raises dink with the penis string and surging up. Moreover, if only wearer moves or wearer raises wearer waistband, the dink of the wearer surging up with the penis string raises the dink of the wearer. It is the motion and the magnetic pole which is the fincer pressure is bumped into.
- 24 Furthermore, if wearer puts on the healthy under pants according to this embodiment and it walks, as shown in figs. 2b and figs. 2b if only one side thigh of wearer goes ahead, the thigh band connected to the other side thigh pulls the penis string. Therefore, the dink of wearer receives the exercise incentive through the simple operation in which wearer walks in the walking action of the walk.
- 25 More concretely, as shown in it is seen for the standing erect stop motion in the , drawing 2a, the state where the penis string faces dink dink to the front from the central location is maintained.
- 26 As shown in the person putting on the healthy under pants of this embodiment is seen in the drawing 2b, in case the left side thigh goes ahead and the right side thigh goes back, the penis string moves with the movement of thigh.
- 27 Moreover, as shown in it is seen in the drawing 2c, as much as the penis string is moved with the movement of the, thigh, therefore it moves dink in the case in which the left side thigh goes back and the right side thigh operates in forward direction.
- 28 This embodiment employs the mode in which left and right by turns make the power in the iteration box while changing in this way, the front and the behind which becomes estranged with the location of the wedding date at the reversed behind which is close to the location of the wedding date from the front in which the center which moves forward and backward because of having in the loose human body front of the human body walking to the standing erect is advanced
- 29 [Embodiment 2]
- 30 As shown in this embodiment 2 is seen in Fig. 3, it is formed in the main body (300) of the trunks according to a preferred embodiment of the present invention with integrally or the removable is possible, formed wearing large (400) is shown.
- 31 The main body (300) of the trunks can be the existing trunks or the slip. In the present preferred embodiment, for example, the trunks tries to be illustrated, removable is possible, the wearing large (400) can be formed in the main body (300), it now is ".
- 32 The panti body (300) provides waistband and underwear churn.
- 33 Mereover, the wearing large (400) provides the penis string (410), scrotum lines (420a, 420b), dink motion lines (430a, 430b) and dink bracing cables (450a, 450b), and moving back conduction lines (440a, 440b).

- As shown in the ligure, in the wearing large (400), the , penis string (410), dink motion lines (430a, 430b), dink bracing cables (450a, 450b) and scrotum lines (420a, 420b) are comprised of respective separate line and it can connect. But it like that can form into one all-in-one string. Dink motion lines (430a, 430b) are formed in order to be connected but predetermined location between the front portion of the waistband of the underwear and the lateral part, and two places. And in order to induced dink bracing cables (450a, 450b) be connected to the Seo HyeBu groin brain to site two places of waistband left and right predetermined it is formed. It connects upper end two places of scrotum lines (420a, 420b) with the line (in other words, fixture) and the penis string (410) is formed. The penis string (410) is formed so that the of which middle part raise the of which middle part the dink lower neighborhood part of the healthy under parts wearer. Because right and left the penis string connects the suitable both sides of position as the Seo HyeBu groin brain according to the brain that it receives in the waist side to the induced dink bracing cable to raise the dink lower neighborhood part, secession as to the penis string, is prevented in the dink lower neighborhood part. And in some cases, the dink bracing cable the dink motion line role can replace.
- 35 The penis string (410), scrotum lines (420a, 420b) and each part connection line the line in which the side line of predetermined is desirable but it is thick having the elasticity according to the case or flexible is possible. If necessary, it can be comprised of the etc. eiven with the bead line or the chain type.
- And in the underwear inside glans penis contiguous area, in order to totter as the formation which is the same as that of the blade of grass in the glans and rubbing the rubbing irritant which is a plurality of fluctuations can be formed as the formation in which the achelia berries just hangs for the rubbing magnetic pole single string with the glans to the extrusion means which is a plurality of fluctuation in other words. At this time, in order to directly can form within the pantil body but it detaches separately it forms, it is desirable, the extrusion means which is fluctuation can do.
- 37 Moreover, as shown in Fig. 3, in the bottom part of scrotum lines (420a, 420b), extension straps (440a, 440b) of 2 are extended and it is connected to 2 place of rear left and right predetermined of the waistband of the panti body. At this lime, in moving back conduction lines (440a, 440b) in which 2 extension straps is is the proximal point, it changes into x shape into far-end and it can go back and while being "", it can go back the self side and the meeting part (490), is passed through like the drawing and it in other words knot to the moving back. And in the meeting part (490), even when being not to show the moving back conduction line in case of moreover, the trunks while knotting the moving back conduction line in location while moving back conduction lines (440a, 440b) are extended (470a, 470b), "" Bonal (480a, 480b) which are good for the prize for skill can be made. At this time, in ""Bonal (4a, 480b) proximal point, because of being the method the height was high and it appoints as the gradually decreased certain person and it knots to underwear back side and right and left, it can do. It forms the ventilation hole and it is able to make up "" furnace wing for the underwear inside ventilation as the dauge fabric in other words.
- 38 Moreover, as shown in Fig. 4, in the penis string (410), the side ornament means (410c, 410d) etc. can be adhered is cushion serves both concavo-convex (bead or the set of twin rings and side, and the bundle loop both sides jaw) magnetic pole fitness and urethra protection for the function of strengthening dink in the dink lower neighborhood part. And even in case of being, in the means binding the dink preventing secession in the dink lower neighborhood part, the penis string can be according to individual preparations (410a, 410b). Moreover, material is selected as off-board (the set of twin rings 420e, and 420f) etc. and the other medicinal ingredient and Zingibens Rhizoma shipped quality including the metal which is the same as that of the scrotum low temperature induction material quality, for example, the gold or the silver and natural jade or Magnetitum etc. can be made in scrotum lines (420a, 420b) as built ins (the bead 420c, 420d etc) in other words.
- 39 And in as shown in drawing 3~ drawing 4, the border of the scrotum line and penis string, the fasten-unfasten mean between the line adjusting mean and band can be decorated in each line in which and adjusting means (460a, 460b) are connected. The fasten-unfasten mean with band the adjusting mean which it gives besides the drawing while selecting as the general means is the means which it appropriately can control according to the physical condition of wearer.

40 According to this embodiment, while being connected for support in the dink bracing cable induced to the Seo HyeBu groin brain in the waist side according to the times bottom brain and continuously functioning towards the top with the dink motion line, the penis string raising the dink lower neighborhood part was connected for the waistband front surface and lateral part to the appointed area. In order that the scrotum line rearwards supported the bottom, the moving back conduction line was connected and it was settled to back side and right and left. Because the human body the times is positioned at the lower part inside swollen and loose to the standing erect, because of being the connection location configuration means which it can stimulate while the line method induced according to the brain raises the line method the dink lower neighborhood part to the Seo HyeBu groin brain in the waist side according to the brain that it receives, the method in which the penis string raises the penis string the dink lower neighborhood part can do.

- 41 Therefore, in the physical condition or any operation (when bending, the line takes part in the brain and it gets bitten). secession is prevented in the dink lower neighborhood part and it makes stimulate the dink lower neighborhood part and the penis string has carry dink as the front. Therefore, while it well falters in the glans, the rubbing magnetic pole is received the more heard dink in the underwear front side. Therefore, while the excitation which the mood of the nerves of sex is good accelerates the circulation of the blood, the exquisite energy is caused and even when being left in the air, dink more increases in normal times. This is helpful to the dink strengthening and growth enlargement.
- 42 Furthermore, the penis string exercises *** dink to top and bottom if the dink motion line is repetitively lightly raised. At this time, while dink is enlarged as if it increases in the centrifugal force motion, dink exercises waves to the dink lower neighborhood part. Therefore, since moreover, scrotum receives the befittingly shaken motion dink white being helpful to the growth and enlargement the sperm production power will become stronger according to the reason of the natural. Therefore, furthermore it will be helpful to the problem that is all kinds of the results due to the lack of exercise with the sexual Zingiberis Rhizoma.

43 It is similar to this embodiment 1 as this embodiment 2 been seen. But it moves to the invention for being used to the underwear etc. the invention does not have band in the thigh without the thigh band including the trunks etc. of the little

- which is the same as that of walk because the line configuration is functional, it strengthens the nerves of sex motion by the magnetic pole in which the dink lower neighborhood part is the pleasant sensation.
- 44 And in some cases, it has the scrotum line top (460a, 460b) or less make the separation deconstruction through removable. It can simplify according to individual.
- 45 Moreover, in some cases, waistband is separately formed and the configuration of the independence separating from the panti body can be adopted, it is ***.

· Effects of the Invention

- 46 According to the present invention, configuration is simple with the conventional technology and configuration is facilitated to manufacture. And the result problem of the male is solved with the apparatus of the peculiar configuration of the present invention but the sexual dome can be provided. The healthiness condition can because of being the appropriate motion for the circulation of the blood and mind.
- 47 In the problem generally that the present invention is result, because it had the duplicity sensitive even when to being blunt, while maintaining the dignity fitness while ***ing, effect was therefore obtained. Furthermore, the present invention can improve profitability and marketability of the low price which it is done by the mass production since Holotrichia is facilitated.

Scope of Claims

Claim[1]: 48 Moreover, the walking power vehicle is connected from the penis string both ends to the backward part of the respective thigh band it is the healthy under pants which makes stimulate the dink lower neighborhood part by using the walking power consisting of the underwear community structure in which removable with the , waistband including panti body, and the penis string, scrotum line, dink motion line, dink bracing cable, walking power vehicle, moving back

conduction line, the square file adjusting mean including waistband, and the underwear churn and thigh band is

possible as the line; the penis string is formed in the wearing of the healthy under pants in order to raise the dink lower neighborhood part in the of which middle part; in order to connect both sides of the penis string to the line and it passes scrotum left and right brain the scrotum line is formed; scrotum is and regulates guided in the wearing of the healthy under parts to the low temperature; the dink bracing cable the of which both ends is connected to left and right appointed area of waistband and it is induced to the Seo HyeBu groin brain in the waistband side according to the boundary hollow that if receives and right and left the penis string links in the underwear wearing; and both ends of the dink motion line is connected to the appointed area between both sides and the waistband front side central part and right and left the penis string links.

- 54 The thigh band backward part or the healthy under pants which is connected on waistband back side and right and left side in other words; and uses the formed so that the fasten-unfasten mean between the line adjusting mean and waistband be possible in the square file walking power. The moving back conduction line kits be scrotum line.
 - Claim[2]:
- 56 The panti body including waistband and underwear churn and the healthy under pants which moreover more can include the fasten-unfasten mean in the scrotum line upper end border while it is attachable, attaching the dink bracing cable in the underwear attach, the moving back conduction line, and each of one end of the dink motion line in the waistband of the panti body in order to some cases can clear away the scrotum line and or less after dividing both sides is formed the fasten-unfasten mean between the line adjusting mean and waistband are possible in the square file the thigh inserting space is formed the of which other end is connected in the underwear wearing to back side and right and left of waistbang the moving back conduction line is connected to the scrotum line bottom the dink motion line is linked and formed in the penis string the of which both ends connects to the appointed area between both sides and the waistband front side central part in the underwear wearing the brain is connected the penis string is secession prevented in the dink lower neighborhood part it is induced to the Seo HyeBu groin brain in the underwear wearing in the waistband side according to the brain the dink bracing cable is formed the of which both ends is connected to left and right appointed area of waistband in the underwear wearing scrotum is and regulates guided to the low temperature it is formed the scrotum left right bone is passed in the wearing of the healthy under pants the scrotum line is formed it connects both sides of the penis string to line the penis string is formed in the wearing of the healthy under pants it raises the dink lower neighborhood part in the of which middle part the underwear wearing part which achieves the moving back conduction line connection it is extended due to the scrotum line bottom is included removable the line adjusting mean is equipped in waistband in possible left and right dink motion line, left and right dink bracing cable, and left and right rearward conduction line, the penis string and square file of the scrotum line.

Claim[3]:

64 Moreover, the penis string means-plus-function and the wearing part including the scrotum stem ability shift waistband and left and right dink motion line for being attachable to and detachable from band, left and right dink bracing cable. left and right moving back conduction line and penis string, moreover, the adjusting mean given as described above is the penis string the thigh inserting space is formed in the wearing the scrotum line and the adjusting mean given to the square file can be formed; it is the waistband wearing part connecting front and rear the moving back conduction line. scrotum line, the dink bracing cable it is formed in the dink bracing cable and the site, and the dink motion line and moving back conduction line is the respective adjusting mean given can be included, and moreover, the adjusting mean given as described above is the penis string the thigh inserting space is formed in the weaning the scrotum line and the adjusting mean given to the square file can be formed; it is the waistband wearing part connecting front and rear the moving back conduction line the scrotum line bottom knots the scrotum line; the penis string is formed in order to raise the dink lower neighborhood part in the wearing in the of which middle part; the scrotum line connects both sides of the lower part of the penis string with the line; the line is formed in order to pass the scrotum left right bone in the wearing; the dink bracing cable is formed so that the of which both ends be connected to left and right appointed area of waistband in the wearing; the brain is connected so that it is induced to the Seo HyeBu groin brain in the wearing in the waistband side according to the brain and the penis string be secession prevented in the dink lower neighborhood part; the of which both ends is connected to the appointed area between both sides and the waistband front side central part in the wearing and the dink motion line is linked and formed in the penis string on the left and the right; the moving back conduction line is connected to the scrotum line bottom; and the of which other end is connected to waistband back side and right and left; and as to the dink, the dink motion line is connected.

Claim [4]:

70 The beads shape including the natural jade or the metal material which is the same as that of the silver in other words and the medicinal ingredient material which is the Zingiberis Rhizoma or the healthy under pants which it includes in order to be formed with the set of twin rings shape etc. the scrotum low temperature control induction material is done by the built in or *** as to the second claim, the first claim the third claim in the scrotum line.

Claim[5]:

71 The ornament means which binds the different string which is the same as that of the magnetic pole and the functional side liquor of the dink lower neighborhood part it can include the material like the scrotum line of claim 4 in the penis string as to the second claim, the first claim the third claim and the healthy under pants forming and equips the unevenness ornament means.

Claim[6]:

72 The healthy under pants of the line connection location constitution which is the connection line induced according to the human bone in order to connect dink lower neighborhood part left and right in the suitable location to induce the dink bracing cable from the waistband side to the Seo HyeBu groin brain according to the bowel lower part boundary hollow and raise the dink lower neighborhood part the penis string raising the dink lower neighborhood part as to the second claim, the first claim the third claim in the dink lower neighborhood part to the method which is secession prevented.

Claim[7]:

73 The healthy under pants which includes the dink motion line to the dink motion line as to the second claim, the first claim the third claim in order to connect the penis string both sides which raises the dink lower neighborhood part to constitution to force dink to do "" centrifugal force motion through top and bottom to the top and it repetitively lightly raises the dink motion line. And in some cases, the healthy under pants which is equipped in order to the dink bracing cable serve both the risk motion line function.

Claim[8]:

74 A plurality of extrusion fluctuation red phosphoruses on the glans penis contact side of the underwear inside, and the healthy under pants in which the bernes just seems to hang but including the extrusion means which is fluctuation to the shape that is the same like the blade of grass.

Claim[9]:

75 The healthy under pants which forms and equips in order to pass through the moving back conduction line which knots in order to naturally makes show the underwear outward appearance in case of the blind angle trunk underwear at first, even when high starting *** Ronal and being gradually decreased and being functional to *** Ronal of claims 1 and 2, wherein the moving back conduction line can be passed through in order to makes be not to show the moving back conduction line.

Claim [10]:

76 The healthy under pants for being formed only the penis string of claim 2, wherein the dink lower neighborhood part raises to the dink bracing cable and dink motion line.





Fig. 1





≈ Fig. 2b



* Fig. 2c



